

Product datasheet

T5-S30-5NW

LED tube light 5 W | 4000 K

- Placement in work spaces, health care institutions, warehouses, ..
- Lower electricity consumption - clearer light
- Long life span



General information

| | |
|----------------------|-------------------------------------|
| • Model | T5-S30-5NW |
| • LED chip | San`an |
| • Body material | Plastic |
| • Environment | Industrial and work spaces lighting |
| • Product color | White |
| • Mounting | Recessed |
| • IP Protection Rate | IP20 |
| • Weight | 0,055 kg |

Electrical Specifications

| | |
|--------------------------|--------------------------------------|
| • Power Consumption | 5 W |
| • Input Voltage | AC 185 - 265 V / 50 - 60 Hz |
| • Dimmable Function | No |
| • Replacing LED | No |
| • Replacing Power Supply | No |
| • Power supply | One - sided / built in switch on/off |

Lighting Specifications

- | | |
|----------------------------|----------------------|
| • Luminous flux | 500 lm |
| • Luminous efficiency | 100 lm / W |
| • Color of the light | Neutral white |
| • CCT | 4000 K |
| • Color Render Index (CRI) | > 80 |
| • Beam Angle | 110 ° |
| • Life Span | 30 000 working hours |

Packing Information

- | | |
|----------------------|------------------|
| • Package dimensions | 345 x 40 x 25 mm |
| • Gross Weight | 0,085 kg |
| • Transport package | 10 pieces |

Dimensions

- | | |
|----------------------|------------------|
| • Product dimensions | 312 x 35 x 22 mm |
|----------------------|------------------|